

**Centers for Disease Control and Prevention  
Model Performance Evaluation Program**

# **Human T-Lymphotropic Virus Types I and II (HTLV-I/II) Testing**

**Donor Report and Sample Identification  
for the November 15, 1999 Shipment**

**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Centers for Disease Control and Prevention  
Public Health Practice Program Office  
Division of Laboratory Systems  
Atlanta, Georgia 30341-3717**



**Use of trade names is for identification only and does not constitute endorsement  
by the U.S. Department of Health and Human Services.**

**Centers for Disease Control and Prevention (CDC)  
Model Performance Evaluation Program  
Human T-Lymphotropic Virus Types I and II (HTLV-I/II) Testing  
November 1999 Participant Laboratory Shipment**

**Table 1**

Panel Letter	Vial Label	CDC Donor Number	CDC Contractor Result <sup>2</sup>	Laboratory Interpretation <sup>1</sup>			
				INIT. <sup>3</sup>	FINAL <sup>4</sup>	WB	IIF
<b>A</b>	<b>A1</b>	<b>1</b>	<b>Negative</b>	—	—	—	—
	<b>A2,A6</b>	<b>4</b>	<b>Negative</b>	—	—	—	—
	<b>A3,A5</b>	<b>3</b>	<b>Positive, HTLV-I</b>	—	—	—	—
	<b>A4</b>	<b>2</b>	<b>Positive, HTLV-II</b>	—	—	—	—
<b>B</b>	<b>B1,B3</b>	<b>4</b>	<b>Negative</b>	—	—	—	—
	<b>B2</b>	<b>1</b>	<b>Negative</b>	—	—	—	—
	<b>B4,B6</b>	<b>3</b>	<b>Positive, HTLV-I</b>	—	—	—	—
	<b>B5</b>	<b>2</b>	<b>Positive, HTLV-II</b>	—	—	—	—

<sup>1</sup> Laboratory Interpretation space (to be completed by participant laboratory) provided to facilitate comparison of participant laboratory result with CDC result.

<sup>2</sup> The CDC result was obtained after composite EIA, WB, and RIPA testing, by CDC contractor, and employing the interpretation criteria of the Public Health Service Working Group.

<sup>3</sup> Initial EIA interpretation

<sup>4</sup> Final EIA interpretation